



201

92.6

一般配管用ステンレス鋼管(JIS-G3448 SUS304TPD)

 日新製鋼株式会社
 日金工鋼管株式会社

 給水・給湯・冷暖房用 SUS304TPD
 JIS G 3448
 JWVA G 115



- (1) 鋼種はSUS304(18-8ステンレス)です。
 (2) 長さは4mが定尺です。
 (3) JWVAG115は13～50SUです。

呼び径		外径 (mm)	肉厚 (mm)	重量 (kg/m)	価格	
SU	A				(円/m)	(円/本)
13	-	15.88	0.8	0.301	410	1,640
20	-	22.22	1.0	0.529	620	2,480
25	-	28.58	1.0	0.687	780	3,120
30	25	34.00	1.2	0.980	1,020	4,080
40	32	42.70	1.2	1.240	1,290	5,160
50	40	48.60	1.2	1.420	1,460	5,840
60	50	60.50	1.5	2.200	2,220	8,880
75	65	76.30	1.5	2.790	3,000	12,000
80	-	89.10	2.0	4.340	3,820	15,280
100	-	114.30	2.0	5.590	5,090	20,360
125	-	139.80	2.0	6.870	6,320	25,280
150	-	165.20	3.0	12.100	10,410	41,640
200	-	216.30	3.0	15.900	14,150	56,600
250	-	267.40	3.0	19.800	18,020	72,080
300	-	318.50	3.0	23.600	21,710	86,840

202

92.6

一般配管用ステンレス鋼管(JIS-G3448 SUS316TPD)

 日新製鋼株式会社
 日金工鋼管株式会社

 埋設給水配管用 SUS316TPD-
 JIS G 3448
 JWVA G 115

- (1) 鋼種はSUS316(Mo入り)です。
 (2) 長さは4mが定尺です。
 (3) 鋼種区別のためパイプ管軸に沿い青線を表示しています。

呼び径 (SU)	外径 (mm)	肉厚 (mm)	重量 (kg/m)	価格	
				(円/m)	(円/本)
13	15.88	0.8	0.303	665	2,660
20	22.22	1.0	0.532	980	3,920
25	28.58	1.0	0.691	1,215	4,860
30	34.00	1.2	0.986	1,665	6,660
40	42.70	1.2	1.250	2,070	8,280
50	48.60	1.2	1.430	2,315	9,260

SUS304 ステンレスパイプエキストラ・1本当り重量表

呼び径		外径 (mm)	厚 さ (mm)																					
A	B		1.2		1.5		2.0		2.5		3.0		3.5		4.0		5.0		6.0		8.0			
			円	kg	円	kg	円	kg	円	kg	円	kg	円	kg	円	kg	円	kg	円	kg	円	kg	円	kg
8	1/4	13.8	560	1.51	420	1.84	340	2.35																
10	3/8	17.3	380	1.92	320	2.36	240	3.05			300	4.28												
15	1/2	21.7	310	2.45	250	3.02	190	3.92	150	4.80	100	5.60												
20	3/4	27.2	260	3.11	200	3.84	150	5.04	110	6.16	60	7.24												
25	1	34.0			150	4.84	110	6.36	80	7.84	30	9.28	60	10.6	60	12.0								
32	1 1/4	42.7			140	6.16	100	8.12	70	10.00	20	11.90	50	13.7	50	15.4								
40	1 1/2	48.6			120	7.04	70	9.28	40	11.50	ベース	13.60	20	15.7	20	17.8								
50	2	60.5			110	8.80	70	11.60	40	14.40	ベース	17.20	ベース	19.9	ベース	22.5	60	27.6						
65	2 1/2	76.3					70	14.80	40	18.40	ベース	21.90	ベース	25.4	ベース	28.8	40	35.6						
80	3	89.1					70	17.40	40	21.60	ベース	25.70	ベース	29.8	ベース	33.9	40	42.0						
90	3 1/2	101.6					80	19.80	50	24.70	ベース	29.50	ベース	34.2	ベース	38.9	30	48.0	50	57.2				
100	4	114.3					80	22.40	50	27.80	ベース	33.30	ベース	38.6	ベース	44.0	30	54.4	30	64.8				
125	5	139.8									10	40.80	ベース	47.6	ベース	54.0	20	67.2	30	80.0				
150	6	165.2									10	48.40	ベース	56.4	ベース	64.4	20	80.0	30	95.2	60	125		
200	8	216.3									30	63.60	20	74.4	20	84.8	20	105.0	30	126.0	60	166		
250	10	267.4									80	79.20	70	92.0	70	105.0	70	131.0	70	156.0	60	207		
300	12	318.5									90	94.40	80	110.0	80	125.0	80	156.0	80	187.0	60	248		

1本当たり価格 = (相場(ベース) + エキストラ) × 重量

定尺4m(単位:円/kg・kg/本)

・ステンレス管
継手


ステンレスパイプの肉厚(mm)・スケジュール別

呼び径	A	6	8	10	15	20	25	32	40	50	65	80	90	100	125	150	200	250	300
	B	1/8	1/4	3/8	1/2	3/4	1	1 1/4	1 1/2	2	2 1/2	3	3 1/2	4	5	6	8	10	12
SCH5		1.0	1.2	1.2	1.5	1.5	2.0	2.0	2.0	2.0	2.0	2.0	2.5	2.5	3.0	3.0	3.0	3.5	4.0
SCH10		1.2	1.5	2.0	2.0	2.0	2.5	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.5	3.5	4.0	4.0	4.5
SCH20		1.5	2.0	2.0	2.5	2.5	3.0	3.0	3.0	3.5	3.5	4.0	4.0	4.0	5.0	5.0	6.5	6.5	6.5
SCH40		2.0	2.5	2.5	3.0	3.0	3.5	3.5	4.0	4.0	5.0	5.5	6.0	6.0	6.6	7.1	8.2	9.3	10.3
SCH80		2.5	3.0	3.5	3.5	4.0	4.5	5.0	5.0	5.5	7.0	8.0	8.0	9.0	10.0	12.0	13.0	15.0	18.0

スケジュールはSP懇話会慣用標準寸法です。

227

サスフィット



改定2006.9

【新定価 2006年9月～】

品名 呼径	90° エルボ	45° エルボ	チーズ	ソケット	キャップ	ゲートバルブ	溶接アダプタ
13SU	1,000	1,380	2,140	1,080	550	9,680	1,120
20	1,240	1,640	2,560	1,430	610	10,400	1,290
25	1,830	2,460	3,160	1,750	690	11,800	1,790
30	3,310	3,800	5,060	2,090	810	14,300	2,360
40	4,060	4,670	6,730	2,700	1,120	16,800	3,440
50	4,590	5,870	7,510	3,380	1,350	23,000	4,360
60	7,420	8,000	9,920	5,120	2,200	42,900	6,260

年内上市予定となります。

品名 呼径	径違い チーズ	径違い ソケット
20 × 13	3,300	1,430
25 × 13	4,060	1,930
25 × 20	4,060	1,930
30 × 13	6,080	2,400
30 × 20	6,080	2,400
30 × 25	6,100	2,400
40 × 13	8,100	2,960
40 × 20	8,100	2,960
40 × 25	8,100	2,960
40 × 30	8,100	2,960
50 × 13	8,620	
50 × 20	8,620	3,710
50 × 25	8,620	3,710
50 × 30	8,620	3,710
50 × 40	8,620	3,710
60 × 20	10,700	5,300
60 × 25	10,700	5,300
60 × 30	10,700	5,300
60 × 40	10,700	5,300
60 × 50	10,700	5,300

品名 呼径	絶縁ユニオン (SGP)	絶縁ユニオン (VLP)	ブッシング	フレキ (F-F)	フレキ (F-N)	フランジ アダプタ	おす アダプタ	めす アダプタ
13 × 1/2	3,900	5,300				2,870	1,150	1,230
20 × 1/2						3,300	1,370	1,500
20 × 3/4	4,450	6,100		9,180	9,300	3,300	1,370	1,500
25 × 1/2			1,390					
25 × 1	5,000	6,900		11,600	12,000	4,420	1,740	1,620
30 × 1/2			1,690					
30 × 3/4			1,690					
30 × 1						6,660	2,540	2,500
30 × 1 1/4	10,100	13,400		16,200	17,000	6,660	2,540	2,500
40 × 1/2			2,210					
40 × 3/4			2,210					
40 × 1			2,210					
40 × 1 1/4						7,140	2,960	3,130
40 × 1 1/2	15,200	19,700		20,200	21,200	7,140	2,960	3,130
50 × 1/2			2,660					
50 × 3/4			2,660					
50 × 1			2,660					
50 × 1 1/2						9,140	3,860	4,250
50 × 2	19,700	25,500		25,900	29,600	9,140	3,860	4,250
60 × 1/2			3,820					
60 × 3/4			3,820					
60 × 1			3,820					
60 × 1 1/4			3,820					
60 × 2						11,600	5,350	5,680
60 × 2 1/2	25,100			34,200	39,600	11,600	5,350	5,680

品名 呼径	給水栓用 エルボ	給水栓用 座付エルボ	上取型 給水栓用 座付エルボ	給水栓用 チーズ	給水栓用 座付チ-ズ	給水栓用 ソケット	3方異径 チ-ズ
13 × 1/2	1,370	2,120	2,120	2,230	3,310	1,390	
20 × 1/2	1,700	2,440		2,620		1,460	
20 × 3/4	1,700	2,440		2,620		1,460	
25 × 1/2				3,730			
25 × 1	2,690					1,830	
25 × 20 × 20							3,510

(単位：円/個)

給水・給湯・冷暖房用

コマ印 MRジョイントII(圧縮式継手)ステンレス鋼管/銅管兼用型

日本水道協会承認品 ナット銅合金製

品名	呼び径 (SU)	MRジョイント(圧縮式)		品名	呼び径 (SU)	MRジョイント(圧縮式)	
		価格(円/個)	入个数			価格(円/個)	入个数
エルボ	13	810	60	おすアダプタ	13 × 1/2 (PT)	600	120
	20	1,280	30		20 × 3/4 (PT)	910	60
	25	1,970	20		25 × 1 (PT)	1,470	30
45° エルボ	13	1,100	70	めすアダプタ	13 × 1/2 (PT)	650	100
	20	1,490	40		20 × 3/4 (PT)	910	50
	25	1,920	20		25 × 1 (PT)	1,490	25
ソケット	13	640	100	給水栓エルボ	13 × 1/2 (PS)	820	60
	20	910	50		20 × 1/2 (PS)	1,280	40
	25	1,470	30		20 × 3/4 (PS)	1,160	30
	20 × 13	900	50		25 × 1 (PS)	2,160	20
	25 × 13	1,510	30	ロング給水栓用 エルボ	13 × 1/2 (PS) × 70	1,680	30
	25 × 20	1,530	30		13 × 1/2 (PS) × 100	1,750	25
チーz	13	1,210	50	エルボ	20 × 1/2 (PS) × 70	2,140	25
	20	1,820	20		20 × 1/2 (PS) × 100	2,240	20
	25	2,710	10		給水栓ソケット	13 × 1/2 (PS)	910
	20 × 13	2,010	30	20 × 1/2 (PS)		1,320	50
	20 × 13 × 13	2,010	30	20 × 3/4 (PS)		1,240	40
	25 × 13	2,980	20	給水栓チーz	13 × 1/2 (PS)	1,470	40
	25 × 20	2,980	15		20 × 3/4 (PS)	1,820	20
	25 × 20 × 20	2,980	20				

(単位: 円/個)

- (1) MRジョイントのスリーブのみの販売もいたします。
- (2) 日本水道協会検査合格品の価格は、上表価格の5%UPとなります。(但し、寸法13SU~25SUと致します。)
- (3) 30SU以上はMRLAをご使用願います。
- (4) 印は、ステンレス鋼管のみ使用できます。銅管には使用できません。

品名		サイズ	定価
MRスリーブ		13	110
		20	165
		25	220
MR用コア	L	13	170
		20	230
	M	13	170
		20	230

(単位: 円/個)

・ステンレス管
継手

給水・給湯・冷暖房用

コマ印 MR-LAカップリング(スナップ式)

品名サイズ		定 価	入 個 数	品名サイズ		定 価	入 個 数
L	30	5,570	7	RT	30×13	5,490	6
"	40	6,240	5	"	30×20	5,910	6
"	50	6,830	15	"	30×25	7,150	6
"	60	9,180	10	"	30×25×25	7,010	6
"	75	18,450	5	"	40×13	6,320	6
"	80	23,340	4	"	40×20	6,620	6
T	30	7,180	6	"	40×25	7,990	4
"	40	10,210	3	"	40×30	8,340	4
"	50	10,270	3	"	50×20	11,300	5
"	60	12,740	2	"	50×25	11,000	5
"	75	27,420	1	"	50×30	10,810	4
"	80	35,040	1	"	50×40	10,560	3
S	30	4,410	6	"	60×20	14,020	2
"	40	4,650	6	"	60×25	13,890	2
"	50	5,050	3	"	60×30	13,640	2
"	60	6,670	3	"	60×40	13,390	2
"	75	17,360	2	"	60×50	13,130	1
"	80	17,880	1	RS	30×13	3,180	16
AP	30×1	3,920	16	"	30×20	3,380	16
"	30×1 ¹ / ₄	4,020	16	"	30×25	3,590	16
"	40×1	4,750	12	"	40×13	3,570	12
"	40×1 ¹ / ₄	4,830	12	"	40×20	3,770	12
"	40×1 ¹ / ₂	4,880	12	"	40×25	4,190	12
"	50×1 ¹ / ₂	5,010	6	"	40×30	5,190	10
"	50×2	6,190	6	"	50×30	5,320	6
"	60×2	7,020	6	"	50×40	5,230	6
"	60×2 ¹ / ₂	7,710	4	"	60×40	6,870	4
AQ	30×1 ¹ / ₄	4,180	16	"	60×50	6,820	4
溝付用コア	25・30	2,860		"	75×60	14,810	2
"	40	2,860		"	80×75	18,240	1
"	50・60	4,160					
"	75・80	5,954					
溝付用ロール	25～80	4,160					

(単位：円/個)

2 1 2		
KPJ-A型 受注生産品		
(屋内配管用：本体 SUS304)		
品 名	サ イ ズ	定 価
エルボ (L)	13	510
	20	680
	25	790
45° エ ル ボ (L45)	13	520
	20	680
	25	770
ソケット (S)	13	400
	20	480
	25	590
チーズ (T)	13	1,820
	20	2,050
	25	3,320
連径ソケット (RS)	20 × 13	610
	25 × 13	670
	25 × 20	760
連径チーズ (RT)	20 × 13	2,120
	25 × 13	2,580
	25 × 20	2,580
片口エルボ	13	550
	20	690
	25	920

(単位：円/個)

2 1 4		
KPJ-M型		
(地中埋設用：本体 SCS14・SUS316)		
品 名	サ イ ズ	定 価
エルボ (L)	13	2,010
	20	2,240
	25	3,060
ソケット (S)	13	1,750
	20	1,910
	25	2,790
チーズ (T)	13	4,160
	20	5,100
	25	6,420
連径ソケット (RS)	20 × 13	2,930
	25 × 20	3,550
	25 × 20	6,400
連径チーズ (RT)	20 × 13	5,070
	25 × 20	6,400
	25 × 20	6,400
めすアダプタ (AQ)	13 × 1/2	2,840
	20 × 1/2	3,050
	20 × 3/4	3,960
めすアダプタ(F) (AQF)	25 × 1	5,230
	25 × 1	4,910
	25 × 1	4,910
めすアダプタ(F) (AQF-N)	13	1,970
	20 × 13	2,000
	20	2,590
めすアダプタ(F) (AQF-N)	25	3,340
	25 × 20	5,060
	13	4,510
めすアダプタ(F) (AQF-N)	13 × 20	5,130
	20 × 13	4,560
	20	6,370
めすアダプタ(F) (AQF-N)	25	7,650

(単位：円/個)

2 1 3		
KPJ-A-1型		
(屋内配管用：本体 BC - 6)		
品 名	サ イ ズ	定 価
エルボ (L)	13	1,560
	20	1,890
	25	1,200
めすアダプタ (AQ)	13	1,200
	20 × 1/2	1,710
	20	1,380
めすアダプタ (AQ)	25	1,840
	13	1,270
	20 × 1/2	1,760
めすアダプタ(F) (APF)	20	1,410
	25	1,930
	13 × 1/2	1,360
連径チーズ (RT)	20 × 1	1,580
	20 × 13 × 20	2,290
	13 × 1/2	1,770
水栓エルボ (WL)	20 × 1/2	1,890
	20 × 3/4	1,980
	25 × 1	2,360
水栓ソケット (座付WS)	13 × 1/2	1,990
	20 × 1/2	2,600
	20 × 3/4	2,600
水栓ソケット (座付WS)	25 × 1	3,060
	13 × 1/2	2,280
	20 × 1/2	2,580
水栓エルボ (座付WL)	20 × 3/4	2,700
	25 × 1	2,960
	13 × 1/2	3,060
水栓チーズ (WT)	20 × 1/2	3,570
	25 × 1	4,400
	25 × 1	4,400

(単位：円/個)

2 1 5		
KPJ専用工具		
92.2		
品 種	定 価	
切 断 刃	2,900	
溝 付 け 工 具	ス ト ッ パ ー 付 工 具	11,800
	ロ ー ラ ー の み	3,900
ケ ガ キ 工 具	10,500	
離 脱 工 具	5,250	
潤 滑 剤	1,540	

(単位：円/個)

1. 切断刃は19 × 6.3 × 0.3と19 × 3.05 × 0.3の2種類があります。
2. ケガキ工具はA型・A-1型兼用とM型専用があります。
3. 離脱工具はA-1型のみ使用で13SU・20SU・25SU用の各サイズがあります。

220

ナイスジョイント

オーエ又工業株式会社


改定2006.9

【新定価 2006年9月～】


品名 呼径	90° エルボ NJ90E	45° エルボ NJ45E	チーズ NJT	ソケット NJS	キャップ NJC	溶接 アダプタ NJYA	ゴム パッキン	拡張ゴム ウレタン	ミニボール バルブ (NJ-610)	ゲート バルブ (NJ-670)
13SU	1,000	1,380	2,140	1,080	550	1,120	70	640	5,340	9,680
20	1,240	1,640	2,560	1,430	610	1,340	80	730	6,370	10,400
25	1,830	2,460	3,160	1,750	690	1,870	90	780	8,410	11,800
30	3,310	3,800	5,060	2,090	810	2,460	100	860	8,860	14,300
40	4,060	4,670	6,730	2,590	1,050	3,590	110	950	10,900	16,800
50	4,590	5,870	7,510	3,380	1,350	4,550	120	1,070	14,400	23,000
60	7,420	8,000	9,920	4,910	1,900	6,530	150	1,180	20,100	42,900

品名 呼径	径違い チーズ NJRT	径違い ソケット NJRS	品名 呼径	おす アダプタ NJMA	めす アダプタ NJFA	給水栓 エルボ NJWE	給水栓 チーズ NJWT	上座付水栓 エルボ NJZWEU	プッシュ NJB	絶縁 ユニオン NJIU-S
20×13	4,970	2,150	13×1/2	1,730	1,880	2,060	3,350	2,120		3,950
25×13	6,110	2,900	20×1/2	2,060	2,280	2,570	3,930	2,450		
25×20	6,110	2,900	20×3/4	2,060	2,280	2,570	3,930	2,450		4,490
30×13	9,150	3,600	25×1/2				5,600		1,390	
30×20	9,150	3,600	25×1	2,610	2,460	4,040				5,050
30×25	9,150	3,600	30×1/2						1,690	
40×13	12,200	4,440	30×3/4						1,690	
40×20	12,200	4,440	30×1	3,810	3,770					
40×25	12,200	4,440	30×1 1/4	3,810	3,770					10,200
40×30	12,200	4,440	40×1/2						2,210	
50×13	12,900		40×3/4						2,210	
50×20	12,900	5,570	40×1						2,210	
50×25	12,900	5,570	40×1 1/4	4,440	4,700					
50×30	12,900	5,570	40×1 1/2	4,440	4,700					15,300
50×40	12,900	5,570	50×1/2						2,660	
60×20	16,100	7,950	50×3/4						2,660	
60×25	16,100	7,950	50×1						2,660	
60×30	16,100	7,950	50×1 1/2	5,790	6,420					
60×40	16,100	7,950	50×2	5,790	6,420					19,800
60×50	16,100	7,950	60×1/2						3,820	
			60×3/4						3,820	
			60×1						3,820	
			60×1 1/4						3,820	
			60×2	7,970	8,520					
			60×2 1/2	7,970	8,520					25,200

ナイスジョイントの構造



拡張機構



(単位: 円/個)

品名 呼径	90° エルボ	45° エルボ	ティー	ソケット	ベア ソケット	キャップ	ユニオン	片 ソケット 90°エルボ	片 ソケット 45°エルボ	レジュサー 付短管
	90CE / 90E	45E	T	S	BS	C	U	90SE	45SE	RP
13SU	510	530	1,100	310	520	620	2,090	690	900	
20	700	690	1,390	430	670	720	2,960	900	1,080	
20×13	1,550	1,250								1,380
25	810	820	1,710	490	770	830	3,820	1,270	1,300	
30	1,950	2,520	3,960	1,390	1,960	2,460		2,980	3,910	
40	3,350	3,100	5,940	1,700	2,270	3,090		3,760	4,830	
50	3,630	3,350	6,320	1,930	2,700	3,480		4,060	5,180	
60	5,470	5,020	7,930	2,780	3,900	4,160		5,900	7,360	

品名 呼径	コート フランジ CF
1/2	2,120
3/4	2,320
1	2,920
1 1/4	3,520
1 1/2	3,710
2	4,110
2 1/2	5,240

ステンレス管
継手

*90°エルボ(90E)一般品13、20、25SUは90°コンパクトエルボ(90CE)に切替えさせていただきます。

品名 呼径	違径ティー	レジュサー
	RT	R
20×13	1,340	560
25×20	1,690	670
25×13	1,850	1,050
30×25	4,610	1,580
30×20	4,780	2,080
30×13	4,790	2,100
40×30	6,290	2,000
40×25	6,390	2,140
40×20	6,600	2,590
40×13	6,950	2,610
50×40	6,600	2,280
50×30	6,800	2,560
50×25	6,990	2,720
50×20	7,390	3,290
50×13	7,770	3,300
60×50	8,540	3,020
60×40	8,720	3,350
60×30	8,790	3,640
60×25	8,990	4,070
60×20	9,190	4,350
60×13	9,390	4,940

品名 呼径	おすアダ90° エルボ	めすアダ90° エルボ	おすアダ ソケット	めすアダ ソケット	水栓 エルボ	水栓 ソケット	水栓 ティー	直管付 ザルボ	ラップ付 短管
	AEおす	AEめす	ASおす	ASめす	水栓E	水栓S	水栓T	ZLB	LT
13×1/2	1,170	1,190	900	970	1,190	970	1,660	2,100	3,610
20×3/4	1,520	1,560	1,100	1,300	1,560	1,300	2,140		3,830
20×1/2	2,210		2,210	1,860	1,480	1,300	1,910	2,320	
25×1	2,190	2,450	1,470	2,050	2,350	1,970	3,930		4,000
25×3/4						1,900	3,070		
25×1/2					(ショート)	1,550	2,330		
30×1 1/4			2,790	3,070	(13×1/2)				3,510
30×1	3,940	4,120	2,190	2,390	1,360				3,050
40×1 1/2			3,410	3,610	(20×3/4)				3,860
40×1 1/4	5,140	5,390	2,810	3,140	2,550				3,410
50×2			4,390	4,670	(20×1/2)				4,250
50×1 1/2	5,780	5,820	3,350	3,460	1,990				3,630
60×2 1/2			5,180						5,240
60×2	8,270	8,090	4,690	4,700					4,540

品名 呼径	座付水栓 エルボ	台座 (呼径共通)	座付水栓 チーズ	MTS
	13×1/2	3,130	720	4,230
20×3/4	3,460			
20×1/2	3,340		4,730	2,760
25×1				

品名 呼径	水栓 チーズ	品名 呼径	MTE	品名 呼径	MT	樹脂製 絶縁継手
	30×1/2		8,500		13	
40×1/2	8,810	20			850	
50×1/2	9,000	25			930	
60×1/2	12,790					

品名 呼径	おすアダ J型	おすアダ 外J型	ユニオン ソケット	90° ユニオン	絶縁 ユニオン	絶縁 ユニオン	ユニオン II型
	ASJおす	AEJおす	US	90U	IUV	IUH	UII
13×1/2	980		1,530	1,750	3,720	4,710	3,860
13×3/4			2,770	2,980			
20×1/2	2,210	2,210	1,700	2,160			
20×3/4			2,930	3,270	4,600	5,810	4,850
25×1					5,380	6,760	6,640

IUV - 塩化ビニルライニング鋼管用ユニオンです。
 IUH - 耐熱性塩化ビニルライニング鋼管用ユニオンです。
 J型 - ネジは平行オネジに準拠します。

* 専用工具が有ります。価格についてはお問い合わせください。 (単位：円/個)
 BX-II型(13~25Su) BM型(30~50Su)
 BZ型(13~25Su) BL型(30~60Su)
 BS型(13~25Su)

品名 呼径	90° エルボ	45° エルボ	チーズ	ソケット	キャップ	ゲ-ト バルブ	ボ-ル バルブ	品名 呼径	ナット付 短管
	13SU	1,000	1,380	2,140	1,080	550			
20	1,240	1,640	2,560	1,430	610	10,430	9,230	13×40	630
25	1,830	2,460	3,160	1,750	690	11,850	10,860	13×50	630
30	3,310	3,800	5,060	2,090	810	14,260	12,080	20×30	710
40	4,060	4,670	6,730	2,590	1,050	16,790	14,260	20×40	710
50	4,590	5,870	7,510	3,380	1,350	23,000	18,290	20×50	710
60	7,420	8,000	9,920	4,910	1,900	42,900	25,190	25×30	840
								25×40	840
								25×50	840

品名 呼径	径違い チーズ	径違い ソケット	品名 呼径	絶縁ユニオン (SGP)	絶縁ユニオン (VLP)	絶縁ユニオン (HTLP)	プッシング	フランジ アダプタ	おす アダプタ	めす アダプタ	オネジ付 エルボ	メネジ付 エルボ
				20×13	3,310	1,430		13×1/2	3,950	5,330	6,930	
25×13	4,070	1,930	20×1/2					3,300	1,370	1,520	1,780	
25×20	4,070	1,930	20×3/4	4,490	6,130	8,330		3,300	1,370	1,520	1,780	1,780
30×13	6,100	2,400	25×1/2				1,390					
30×20	6,100	2,400	25×1	5,050	6,950	9,430		4,290	1,740	1,640		
30×25	6,100	2,400	30×1/2				1,690					
40×13	8,110	2,960	30×3/4				1,690					
40×20	8,110	2,960	30×1					6,660	2,540	2,510		
40×25	8,110	2,960	30×1 1/4	10,200	13,500	18,200		6,660	2,540	2,510		
40×30	8,110	2,960	40×1/2				2,210					
50×13	8,630		40×3/4				2,210					
50×20	8,630	3,710	40×1				2,210					
50×25	8,630	3,710	40×1 1/4					7,140	2,960	3,130		
50×30	8,630	3,710	40×1 1/2	15,300	19,800	26,910		7,140	2,960	3,130		
50×40	8,630	3,710	50×1/2				2,660					
60×20	10,700	5,300	50×3/4				2,660					
60×25	10,700	5,300	50×1				2,660					
60×30	10,700	5,300	50×1 1/2					9,140	3,860	4,280		
60×40	10,700	5,300	50×2	19,800	25,600	30,820		9,140	3,860	4,280		
60×50	10,700	5,300	60×1/2				3,820					
			60×3/4				3,820					
			60×1				3,820					
			60×1 1/4				3,820					
			60×2					11,600	5,310	5,680		
			60×2 1/2	25,200	33,810			11,600	5,310	5,680		

品名 呼径	給水栓 エルボ	給水栓用 座付エルボ	横取付型 給水栓用 座付エルボ	給水栓 チーズ	給水栓 ソケット	給水栓用 座付ソケット
	13×1/2	1,370	2,120	2,120	2,230	1,390
20×1/2	1,710	2,450	2,450	2,620	1,460	2,460
20×3/4	1,710		2,450	2,620	1,460	
25×1/2						
25×1	2,690			3,730		

228	アバカス継手	東尾メック株式会社
改定2006.9	【新定価 2006年9月～】	

品名 呼径	90° エルボ	片口固定 エルボ	45° エルボ	チーズ	ソケット	キャップ	リテ-ナ	ストリート エルボ (ショート)	ストリート エルボ (ロング)	ゲートバルブ US-AJ	ボールバルブ UX-AJ
13SU	1,000	—	1,380	2,140	1,080	1,920	90	2,390	2,740	11,200	9,430
20	1,250	1,350	1,640	2,570	1,430	2,310	100	2,630	3,020	12,000	10,700
25	1,830	1,980	2,460	3,160	1,750	2,820	130	3,010	3,470	13,500	12,500
30	3,320	3,310	3,800	5,060	2,100	3,500	195			16,300	14,700
40	4,060	4,060	4,670	6,720	2,590	3,990	210			23,200	18,300
50	4,590	4,590	5,860	7,500	3,380	5,080	235			27,500	24,900
60	7,420	7,900	8,010	10,800	6,300		300				

品名 呼径	10 K フランジ
13 × 15	2,870
20 × 15	3,300
20 × 20	3,300
25 × 25	4,290
30 × 25	6,660
30 × 32	6,660
40 × 32	7,140
40 × 40	7,140
50 × 40	9,140
50 × 50	9,140
60 × 65	11,610

ステンレス管
継手

品名 呼径	径違い チーズ	径違い ソケット	品名 呼径	おす アダプタ	めす アダプタ	給水栓 エルボ	給水栓 チーズ	座付水栓 エルボ	ブッシュ
20 × 13	3,320	1,430	13 × 1/2	1,150	1,250	1,370	2,230	2,120	
25 × 20	4,070	1,930	20 × 1/2	1,370	1,520	1,710	2,620	2,440	
30 × 13	6,100	2,400	20 × 3/4	1,370	1,520	1,710	2,620	2,440	
30 × 20	6,100	2,400	25 × 1/2						1,990
30 × 25	6,100	2,400	25 × 1	1,730	1,640	2,700	3,720	3,860	
40 × 13	8,100	2,960	30 × 1/2						2,300
40 × 20	8,100	2,960	30 × 3/4						2,300
40 × 25	8,100	2,960	30 × 1	2,540	2,500				
40 × 30	8,100	2,960	30 × 1 1/4	2,540	2,500				
50 × 13	8,620	3,710	40 × 1/2						3,000
50 × 20	8,620	3,710	40 × 3/4						3,000
50 × 25	8,620	3,710	40 × 1 1/4	2,950	3,120				
50 × 30	8,620	3,710	40 × 1 1/2	2,950	3,120				
50 × 40	8,620	3,710	50 × 1/2						3,620
60 × 20	10,710		50 × 3/4						3,620
60 × 25	10,710		50 × 1						3,620
60 × 30	10,710		50 × 1 1/2	3,860	4,280				
60 × 40	10,710		50 × 2	3,860	4,280				
60 × 50	10,710	5,840	60 × 2	5,400					
			60 × 2 1/2	5,400					

(単位：円/個)

【施工前】




※パイプの面取りをして手で挿入。

【ナットねじ込み後】



※ナットを締めるだけで施工完了。



※抜け止めの転道ネジが
管を固定します。

219		(SCS13・SUS304)		ステンレス製ねじ込み管継手		【新定価 2006年9月～】			
改定2006.9									

品名		90°	45°	スリット	チーズ	径	ユニオン	クロス	径	ソケット	テーパ	
呼径	エルボ	エルボ	エルボ	エルボ		チーズ			ソケット	ソケット	ソケット	
6 A	1/8	520		900	890	740		1,530	1,980		260	500
8	1/4	520	750	900	890	740	1,020	1,530	1,980	560	260	500
10	3/8	530	750	900	910	800	1,020	1,580	2,010	560	260	500
15	1/2	640	840	1,040	1,220	860	1,120	1,780	2,070	820	280	700
20	3/4	920	1,300	1,550	1,550	1,250	1,630	2,330	2,920	1,100	350	1,000
25	1	1,300	1,810	2,140	2,100	1,790	2,440	2,990	4,520	1,480	510	1,120
32	1 1/4	1,960	2,600	2,830	3,080	2,670	3,630	3,840	6,490	2,700	710	1,920
40	1 1/2	2,290	3,290	3,580	3,930	3,090	4,160	4,830	7,060	3,700	830	2,150
50	2	3,430	4,640	5,190	5,750	4,740	6,390	6,750	10,370	5,510	1,290	2,980
65	2 1/2	6,140		8,820	13,300	8,570		12,200	21,500	12,600	2,340	5,600
80	3	8,800		10,900	17,300	11,290		17,700	27,300	16,500	3,080	7,380
100	4	16,100		19,700		22,600		31,000	44,000		5,310	13,360

品名		キャップ	プラグ	ブッシュ	六角	径	ホース
呼径	ニップル				ニップル	ニップル	ニップル
6 A	1/8	330	230		380		710
8	1/4	330	230	320	380	530	710
10	3/8	330	240	320	380	530	710
15	1/2	440	320	370	520	780	980
20	3/4	580	440	570	810	1,020	1,670
25	1	760	620	860	1,100	1,490	2,100
32	1 1/4	1,060	780	1,180	1,480	2,510	3,180
40	1 1/2	1,240	940	1,530	2,000	3,730	3,830
50	2	1,790	1,370	2,200	2,880	5,850	5,350
65	2 1/2	3,690	3,120	4,230	5,240		
80	3	4,800	3,840	5,820	7,700		
100	4	8,800	6,690	11,600	11,750		

(単位：円/個)

210		ステンレス長ニップル		【新定価 2006年9月～】			
改定2006.9							

SUS304：ステンレスニップル(片ネジも含む)

呼径	長さ	N(N S)				N L(N S L)					
		バレル	50	65	75	100	125	150	200	250	300
1/8		180	240	290	320	380	480	520	650	890	1,020
1/4		180	240	290	320	380	480	520	650	890	1,020
3/8		180	240	290	320	380	480	520	650	890	1,020
1/2		230	320	350	380	450	600	660	820	1,110	1,320
3/4		260	350	400	430	520	670	780	960	1,290	1,550
1		350	420	500	540	660	840	960	1,200	1,610	1,910
1 1/4		510			740	900	1,140	1,310	1,640	2,200	2,610
1 1/2		580			820	1,010	1,250	1,420	1,830	2,430	2,840
2		830			1,060	1,260	1,590	1,830	2,270	3,090	3,640
2 1/2		1,530				2,380	2,860	3,330	4,220	5,700	6,640
3		2,020				2,920	3,510	4,100	5,160	7,010	8,160
4		3,810				4,500	5,190	5,870	7,410	10,370	11,720

208
改定2006.10

(SCS13・SUS304、SCS14・SUS316)

ステンレス製ねじ込み管継手

【新定価 2006年10月～】



株式会社 キッツ

外觀形状													
品種		エルボ		45°エルボ		ストリートエルボ		チーズ		クロス		ユニオン	
材質		SCS13	SCS14	SCS13	SCS14	SCS13	SCS14	SCS13	SCS14	SCS13	SCS14	SCS13 (SUS304)	SCS14 (SUS316)
製品記号		PL	PLM	P45L	P45LM	PSL	PSLM	PT	PTM	PX	PXM	PU	PUM
呼径													
1/8B	6A	520	780					740	1,100			1,530	2,300
1/4	8	520	780	900	1,350	890	1,340	740	1,100	1,980	2,970	1,530	2,300
3/8	10	530	800	900	1,350	910	1,370	810	1,220	2,020	3,030	1,580	2,370
1/2	15	650	980	1,040	1,560	1,220	1,830	870	1,310	2,070	3,110	1,790	2,690
3/4	20	920	1,380	1,560	2,340	1,560	2,340	1,260	1,890	2,930	4,400	2,340	3,510
1	25	1,300	1,950	2,140	3,210	2,110	3,170	1,800	2,700	4,520	6,780	2,990	4,490
1 1/4	32	1,970	2,960	2,830	4,250	3,110	4,670	2,670	4,010	6,490	9,740	3,850	5,780
1 1/2	40	2,300	3,450	3,580	5,370	3,960	5,940	3,090	4,640	7,070	10,700	4,830	7,250
2	50	3,430	5,150	5,190	7,790	5,750	8,630	4,740	7,110	10,400	15,600	6,760	10,200
2 1/2	65	6,150	9,230	8,830				8,600	12,900			12,500	18,800
3	80	8,880	13,400	10,900				11,300	17,000			18,200	27,300
4	100	16,300	24,500	19,700				22,700	34,100			31,300	47,000

(単位：円/個)

外觀形状															
品種		ニップル		片ニップル		六角ニップル		六角ホースニップル		キャップ		プラグ		ソケット	
材質		SUS304	SUS316	SUS304	SCS13	SCS14	SCS13	SCS13	SCS14	SCS13 (SUS304)	SCS14 (SUS316)	SUS304	SUS316		
製品記号		PN	PNM	PK	PH	PHM	PW	PC	PCM	PP	PPM	PS	PSM		
呼径															
1/8B	6A	180	280	180	380	580		330	500	230	350	260	390		
1/4	8	180	280	180	380	580	710	330	500	230	350	260	390		
3/8	10	180	280	180	380	580	710	330	500	250	370	260	390		
1/2	15	230	350	230	520	780	990	460	690	330	500	280	420		
3/4	20	260	390	260	810	1,210	1,710	600	900	450	680	360	540		
1	25	360	540	360	1,110	1,670	2,140	780	1,170	640	960	520	780		
1 1/4	32	520	780	520	1,490	2,230	3,220	1,060	1,560	800	1,200	720	1,080		
1 1/2	40	580	870	580	2,030	3,050	3,860	1,250	1,880	950	1,430	840	1,260		
2	50	840	1,260	840	2,910	4,380	5,380	1,810	2,720	1,400	2,100	1,300	1,950		
2 1/2	65	1,540	2,310	1,540	5,280			3,720	5,580	3,130	4,700	2,340	3,510		
3	80	2,030	3,050	2,030	7,770			4,900	7,350	3,850	5,780	3,080	4,620		
4	100	3,810	5,720	3,810	11,900			8,860	13,300	6,720	10,100	5,310	7,970		

(単位：円/個)

品種		ブッシング		品種		ブッシング		品種		ブッシング	
材質		SCS13	SCS14	材質		SCS13	SCS14	材質		SCS13	SCS14
製品記号		PB	PBM	製品記号		PB	PBM	製品記号		PB	PBM
呼径											
1/4 x 1/8 (1)	320	470	1 x 1/4 (4) 3/8 (3) 1/2 (2) 3/4 (1)	870	1,310	2 1/2 x 1 (4) 1 1/4 (3) 1 1/2 (2) 2 (1)	4,240	6,360			
3/8 x 1/8 (2) 1/4 (1)	320	470	1 1/4 x 3/8 (4) 1/2 (3) 3/4 (2) 1 (1)	1,200	1,800	3 x 1 1/4 (4) 1 1/2 (3) 2 (2) 2 1/2 (1)	5,820	8,730			
1/2 x 1/8 (3) 1/4 (2) 3/8 (1)	370	560	1 1/2 x 1/2 (4) 3/4 (3) 1 (2) 1 1/4 (1)	1,530	2,300	4 x 1 1/2 (4) 2 (3) 2 1/2 (2) 3 (1)	11,700				
3/4 x 3/8 (2) 1/2 (1)	580	870	2 x 3/4 (4) 1 (3) 1 1/4 (2) 1 1/2 (1)	2,200	3,300						

(単位：円/個)

注) ()内の数字は呼径に対する段落数を表しております。

ステンレス管
継手

外觀形状				
品種	異径エルボ	異径チーズ	異径六角ニップル	異径ソケット
材質	SCS13			
製品記号	SCS13			
呼径	PRL (1)~(2)	PRT (1)~(2)	PRH (1)~(2)	PRS (1)~(2)
1/4 x 1/8 (1)			530	570
3/8 x 1/8 (2)			530	570
3/8 x 1/4 (1)	750	1,020	530	570
1/2 x 1/4 (2)	840	1,120	780	840
1/2 x 3/8 (1)	840	1,120	780	840
3/4 x 3/8 (2)	1,300	1,630	1,020	1,110
3/4 x 1/2 (1)	1,300	1,630	1,020	1,110
1 x 1/2 (2)	1,810	2,440	1,490	1,510
1 x 3/4 (1)	1,810	2,440	1,490	1,510
1 1/4 x 3/4 (2)	2,600	3,630	2,510	2,730
1 1/4 x 1 (1)	2,600	3,630	2,510	2,730
1 1/2 x 1 (2)	3,290	4,160	3,730	3,730
1 1/2 x 1 1/4 (1)	3,290	4,160	3,730	3,730
2 x 1 1/4 (2)	4,640	6,390	5,850	5,550
2 x 1 1/2 (1)	4,640	6,390	5,850	5,550

注)()内の数字は呼径に対する段落数を表しております。

(単位：円/個)

外觀形状		
品種	ユニオンエルボ	
材質	SCS13	
製品記号	PUL	
呼径	1/8B	6A
1/4	8	
3/8	10	2,890
1/2	15	3,450
3/4	20	4,930
1	25	6,000
1 1/4	32	
1 1/2	40	
2	50	

(単位：円/個)

外觀形状													
品種	片長ニップル						両長ニップル						
材質	SUS304TP						SUS304TP						
製品記号	SUS304TP						SUS304TP						
呼径	PK50L	PK75L	PK100L	PK125L	PK150L	PK200L	PN50L	PN75L	PN100L	PN125L	PN150L	PN200L	
1/8B	6A												
1/4	8	240	330	380	480	510	640	240	330	380	480	510	640
3/8	10	240	330	380	480	510	640	240	330	380	480	510	640
1/2	15	320	380	450	600	660	820	320	380	450	600	660	820
3/4	20	350	420	520	660	780	960	350	420	520	660	780	960
1	25	410	530	680	820	960	1,180	410	530	680	820	960	1,180
1 1/4	32		740	890	1,130	1,320	1,600		740	890	1,130	1,320	1,600
1 1/2	40		820	1,010	1,230	1,400	1,800		820	1,010	1,230	1,400	1,800
2	50		1,050	1,280	1,560	1,790	2,220		1,050	1,280	1,560	1,790	2,220

注)製品記号にある数字はニップルの全長を表しております。

(単位：円/個)

(例：PK50Lは全長50mmの片長ニップルとなります。)



品名 寸法	90° エルボ(ロング)			90° エルボ(ショート)			45° エルボ(ロング)		
	10S	20S	S40	10S	20S	S40	10S	20S	S40
1	1,600	2,000	2,800	1,900	2,400	3,400	1,300	1,600	2,200
1 ¹ / ₄	1,600	2,000	2,800	1,900	2,400	3,400	1,300	1,600	2,200
1 ¹ / ₂	2,000	2,500	3,700	2,400	3,000	4,500	1,600	2,000	2,900
2	2,800	3,400	5,500	3,400	4,100	6,600	2,200	2,700	4,400
2 ¹ / ₂	4,800	6,500	10,800	5,800	7,800	13,000	3,800	5,200	8,600
3	6,500	9,100	15,600	7,800	10,900	18,700	5,200	7,300	12,500
3 ¹ / ₂	19,800	29,700	48,100	23,800	35,600	57,700	15,800	23,800	38,500
4	10,900	17,200	32,700	13,100	20,600	39,200	8,700	13,800	26,200
5	19,800	29,700	48,100	23,800	35,600	57,700	15,800	23,800	38,500
6	28,800	48,000	86,400	34,600	57,600	103,700	23,000	38,400	69,100
8	51,500	110,000	154,500	61,800	132,000	185,400	41,200	88,000	123,600
10	81,500	150,000	243,200	97,800	180,000	291,800	65,200	120,000	194,600
12	140,000	228,000	414,300	168,000	273,600	497,200	112,000	182,400	331,400

1/2・3/4は1と同値

品名 寸法	チー ズ			溶接ラップジョイント		
	10S	20S	S40	10S	20S	S40
1	4,300	6,000	8,600	3,000	3,800	4,300
1 ¹ / ₄	4,300	6,000	8,600	3,000	3,800	4,300
1 ¹ / ₂	4,500	6,900	9,200	3,100	4,000	4,800
2	5,000	8,700	10,400	3,300	4,300	5,800
2 ¹ / ₂	8,100	13,000	20,300	3,600	4,600	8,000
3	11,200	17,400	27,100	3,800	5,500	9,300
3 ¹ / ₂	28,000	50,800	73,100	6,300	9,800	16,200
4	16,200	28,400	48,200	4,600	6,300	11,900
5	28,000	50,800	73,100	6,300	9,800	16,200
6	35,800	67,500	105,100	9,000	12,000	21,000
8	76,000	132,300	190,300	14,000	25,500	39,000
10	114,000	195,400	311,000	18,000	33,000	57,000
12	152,000	261,300	435,500	26,000	42,000	66,000

1/2・3/4は1と同値

品名 寸法	違径チー ズ(1~3段落ち)		
	10S	20S	S40
1 × 3/4 ~ 1/2	5,400	7,500	10,800
1 ¹ / ₄ × 1 ~ 1/2	5,400	7,500	10,800
1 ¹ / ₂ × 1 ¹ / ₄ ~ 3/4	5,700	8,600	11,500
2 × 1 ¹ / ₂ ~ 1	6,300	10,900	13,000
2 ¹ / ₂ × 2 ~ 1 ¹ / ₄	10,200	16,300	25,400
3 × 2 ¹ / ₂ ~ 1 ¹ / ₂	14,000	21,800	33,900
3 ¹ / ₂ × 3 ~ 2	35,000	63,500	91,400
4 × 3 ¹ / ₂ ~ 2 ¹ / ₂	20,300	35,500	60,300
5 × 4 ~ 3	35,000	63,500	91,400
6 × 5 ~ 3 ¹ / ₂	44,800	84,400	131,400
8 × 6 ~ 4	95,000	165,400	237,900
10 × 8 ~ 5	142,500	244,300	388,800
12 × 10 ~ 6	190,000	326,700	544,400

3/4 × 1¹/₂は1 × 3/4 ~ 1/2と同値になります。

品名 寸法	コンセント・レジューサー			エキセント・レジューサー		
	10S	20S	S40	10S	20S	S40
1 × 3/4 ~ 1/2	2,500	2,700	3,400	3,400	4,200	5,500
1 ¹ / ₄ × 1 ~ 3/4	2,500	2,700	3,400	3,400	4,200	5,500
1 ¹ / ₂ × 1 ¹ / ₄ ~ 3/4	2,800	3,300	4,100	3,900	5,000	6,400
2 × 1 ¹ / ₂ ~ 1	3,300	4,400	5,500	4,900	6,500	8,100
2 ¹ / ₂ × 2 ~ 1 ¹ / ₄	4,200	5,100	8,100	6,400	7,700	12,200
3 × 2 ¹ / ₂ ~ 1 ¹ / ₂	5,200	7,800	10,400	7,800	10,400	16,900
3 ¹ / ₂ × 3 ~ 2	14,300	22,100	29,900	22,100	33,800	44,200
4 × 3 ¹ / ₂ ~ 2	7,800	10,400	16,900	11,700	15,600	29,900
5 × 4 ~ 2 ¹ / ₂	14,300	22,100	29,900	22,100	33,800	44,200
6 × 5 ~ 3	16,900	27,300	39,000	26,000	41,600	59,800
8 × 6 ~ 4	29,900	48,100	65,000	44,200	71,500	97,500
10 × 8 ~ 5	48,100	71,500	105,300	71,500	106,600	157,300
12 × 10 ~ 6	70,200	105,300	159,900	105,300	157,300	236,600

*注) 3/4 × 1¹/₂は、1と同値になります。

品名 寸法	異径チー ズ(4~5段落ち)		
	10S	20S	S40
1 ¹ / ₂ × 1 ¹ / ₂	6,500	9,000	12,900
2 × 3/4	7,500	13,100	15,600
2 ¹ / ₂ × 1	12,200	19,500	30,500
3 × 2 ¹ / ₄	16,800	26,100	40,700
3 ¹ / ₂ × 1 ¹ / ₂	42,000	76,200	109,700
4 × 2 ~ 1 ¹ / ₂	24,300	42,600	72,300
5 × 2 ¹ / ₂ ~ 2	42,000	76,200	109,700
6 × 3 ~ 2 ¹ / ₂	53,700	101,300	157,700
8 × 3 ¹ / ₂ ~ 3	114,000	198,500	285,500
10 × 4	171,000	293,100	466,500
12 × 5	228,000	392,000	653,300

(単位: 円/個)

*5Sの価格は別途見積となります。

2 1 1	ステンレス製溶接フランジ	イノック製造株式会社
04.5		

材 質		SUS F304							
品 名		差し込みフランジ			メクラフランジ			面座付差し込みフランジ	
製品記号		FF			BF			RF	
JIS規格		B2210			B2210			B2210	
呼 び	クラス	5K	10K	20K	5K	10K	20K	10K	20K
10A	$\frac{3}{8}$ B	710	890	1,150	800	1,010	1,510	1,110	1,660
15	$\frac{1}{2}$	710	890	1,150	800	1,010	1,510	1,110	1,660
20	$\frac{3}{4}$	770	1,030	1,330	870	1,170	1,690	1,290	1,860
25	1	840	1,370	1,820	950	1,570	2,340	1,730	2,570
32	$1\frac{1}{4}$	1,160	1,770	2,270	1,350	2,010	3,070	2,210	3,380
40	$1\frac{1}{2}$	1,160	1,770	2,270	1,350	2,010	3,070	2,210	3,380
50	2	1,410	2,060	2,910	1,700	2,430	4,050	2,670	4,460
65	$2\frac{1}{2}$	2,060	3,010	4,740	2,350	3,780	5,980	4,160	6,580
80	3	2,780	3,330	6,020	3,620	4,540	9,040	4,990	9,940
90	$3\frac{1}{2}$	3,910	4,730	-	5,770	7,100	-	-	-
100	4	3,490	4,130	7,680	5,190	5,980	12,100	6,580	13,310
125	5	4,900	6,220	13,520	7,280	9,470	-	10,420	-
150	6	6,450	7,770	15,930	10,070	12,640	-	13,900	-
200	8	9,350	9,960	19,020	17,190	19,370	-	21,310	-
250	10	13,270	15,320	32,490	26,390	30,180	-	33,200	-

2 2 2	ステンレス製捻子込フランジ	INOKI ナゴヤ
改定2006.9	【新定価 2006年9月～】	

材 質		SCS13A(SUS 304)	
品 名		捻込フランジ	
製品記号		ロストワックス	
JIS規格		B2210	
呼 び	クラス	5KFL	10KFL
15	$\frac{1}{2}$	1,620	1,790
20	$\frac{3}{4}$	1,890	2,110
25	1	2,580	2,920
32	$1\frac{1}{4}$	3,360	3,770
40	$1\frac{1}{2}$	3,450	3,900
50	2	4,310	4,890
65	$2\frac{1}{2}$	5,830	6,800
80	3	6,660	7,770
100	4	8,570	9,960

(単位：円/枚)

(ロストワックス品)