









| | | | | |
|---|--------|--------|------------|---|
| D-K 目皿 (非防水層用) ※製造中止 販売終了予定 | 32 | 4,500 | JCW204 |  |
| | 40 | 4,900 | 標準図符号 | |
| | 50 | 5,400 | D | |
| | 65 | 7,200 | 内ねじ | |
| | 80 | 8,900 | ロック式ストレーナー | |
| | 100 | 9,900 | | |
| | 125 | 18,600 | | |
| 150 | 27,600 | | | |


| | | | | |
|--------|--------|--------|------------|---|
| CK-SUS | 40 | 12,100 | JCW-204 |  |
| | 50 | 16,800 | 内ネジ | |
| | 65 | 25,100 | ステンレス製 | |
| | 80 | 36,200 | ロック式ストレーナー | |
| 100 | 53,900 | | | |

| | | | | |
|--------|--------|--------|------------|---|
| DK-SUS | 32 | 4,700 | JCW-204 |  |
| | 40 | 5,100 | 標準図符号D | |
| | 50 | 5,800 | 内ネジ | |
| | 65 | 7,700 | ステンレス製 | |
| | 80 | 9,300 | ロック式ストレーナー | |
| | 100 | 10,200 | | |
| | 125 | 19,400 | | |
| 150 | 28,900 | | | |
| 200 | 52,800 | | | |


| | | | | |
|--------|--------|--------|---------|---|
| DV-SUS | 40 | 4,600 | VP・VU兼用 |  |
| | 50 | 5,300 | ステンレス製 | |
| | 65 | 7,000 | | |
| | 80 | 8,400 | | |
| | 100 | 10,500 | | |
| | 125 | 22,200 | | |
| 150 | 34,500 | | | |


| | | | | |
|-------|-----|--------|-------|--|
| WPJ-W | 65 | 30,700 | 公団型 |  |
| | 80 | 34,500 | J-501 | |
| | 100 | 41,300 | | |
| | 125 | 62,400 | | |
| | 150 | 81,500 | | |


| | | | | |
|----------|-----|---------|----------|---|
| WPJ-W-BC | 65 | 39,800 | 公団型 |  |
| | 80 | 45,400 | J-501 | |
| | 100 | 55,500 | バンドキャップ付 | |
| | 125 | 96,900 | | |
| | 150 | 120,800 | | |


| | | | | |
|-----------|-----|---------|--------|---|
| WPJ-W-BCA | 65 | 45,800 | 公団型 |  |
| | 80 | 52,500 | J-501 | |
| | 100 | 67,700 | アルミバンド | |
| | 125 | 115,100 | キャップ付 | |
| | 150 | 138,900 | | |


| | | | | |
|--------|-----|--------|------|---|
| WPJ-WL | 65 | 42,800 | 積雪地用 |  |
| | 80 | 50,800 | | |
| | 100 | 61,700 | | |
| | 125 | 89,000 | | |


| | | | | |
|-----------|-----|---------|----------|---|
| WPJ-WL-BC | 65 | 51,900 | 積雪地用 |  |
| | 80 | 61,700 | バンドキャップ付 | |
| | 100 | 75,900 | | |
| | 125 | 123,500 | | |


| | | | | |
|------------|-----|---------|--------|---|
| WPJ-WL-BCA | 65 | 57,900 | 積雪地用 |  |
| | 80 | 68,800 | アルミバンド | |
| | 100 | 88,100 | キャップ付 | |
| | 125 | 141,700 | | |

| | | | | |
|-------------------|--|-------|-----|---|
| WPJ-W用 アンカー皿ビス | | 2,000 | M10 |  |
| | | | | |
| | | | | |
| | | | | |


| | | | | |
|----------------------|------|--------|----------|---|
| T3A-K(SU) (非防水層用) | 40 | 18,400 | JISA4002 |  |
| | 50 | 26,900 | | |
| | 65 | 40,500 | | |
| | 80 | 54,500 | | |
| | ★100 | 84,000 | | |

| | | | | |
|---------------------|------|--------|----------|---|
| T3B-K(SU) (防水層用) | 40 | 26,100 | JISA4002 |  |
| | 50 | 36,500 | | |
| | 65 | 51,100 | | |
| | 80 | 67,400 | | |
| | ★100 | 98,900 | | |

| | | | | |
|-----------------|-----|--------|--------|---|
| T5AF (非防水層用) | 40 | 15,500 | 調節管ビス式 |  |
| | 50 | 16,800 | | |
| | 65 | 29,600 | | |
| | 80 | 39,000 | | |
| | 100 | 63,700 | | |


| | | | | |
|----------------|-----|--------|--------|---|
| T5BF (防水層用) | 40 | 16,800 | 調節管ビス式 |  |
| | 50 | 18,600 | | |
| | 65 | 34,300 | | |
| | 80 | 42,800 | | |
| | 100 | 70,500 | | |


| | | | | |
|--------------------|----|--------|--------|---|
| T5AF-EW (非防水層用) | 50 | 22,800 | 調節管ビス式 |  |
|--------------------|----|--------|--------|---|


| | | | | |
|-------------------|----|--------|--------|---|
| T5BF-EW (防水層用) | 50 | 24,200 | 調節管ビス式 |  |
|-------------------|----|--------|--------|---|


| | | | | |
|-------------------|----|--------|----|---|
| T7A-EW (非防水層用) | 50 | 37,000 | 横型 |  |
|-------------------|----|--------|----|---|


| | | | | |
|------------------|----|--------|----|--|
| T7B-EW (防水層用) | 50 | 40,400 | 横型 |  |
|------------------|----|--------|----|--|


| | | | | |
|------------------|----|--------|----------------|---|
| JT-2E-3 防水パン用 | 50 | 32,400 | 公団型 D-107-O |  |
|------------------|----|--------|----------------|---|


| | | | | |
|---------------|----|--------|--------------|---|
| JT-4 防水パン用 | 50 | 39,000 | 公団型 D-104 |  |
|---------------|----|--------|--------------|---|


| | | | | |
|---------------|----|--------|----------------------|---|
| JT-3 防水パン用 | 50 | 31,900 | 公団型 呼び50 D-103 |  |
|---------------|----|--------|----------------------|---|

| | | | | |
|------------------------------|----|--------|---------|---|
| T14AA-K(SU) 目皿付 金属製流し用 | 40 | 22,000 | JCW-202 |  |
| | 50 | 31,900 | T14AA | |

| | | | | |
|------------------------------|-----|--------|---------|---|
| T14AB-K(SU) 共栓付 金属製流し用 | ★40 | 25,300 | JCW-202 |  |
| | ★50 | 34,400 | T14AB | |



| | | | | |
|----------------------------------|-----|--------|---------|---|
| T14BA-K(SU) 目皿付 コンクリート製流し用 | ★40 | 28,100 | JCW-202 |  |
| | ★50 | 38,800 | T14BA | |

| | | | | |
|----------------------------------|-----|--------|---------|---|
| T14BB-K(SU) 共栓付 コンクリート製流し用 | ★40 | 29,600 | JCW-202 |  |
| | ★50 | 43,900 | T14BB | |



| | | | | |
|--------------------------|----|--------|--------------|---|
| T14AV 目皿付 JIS金属流し用 | 40 | 14,700 | 公団型 耐熱樹脂製 |  |
|--------------------------|----|--------|--------------|---|

★印は受注生産品を示します。




| | | | | |
|------------------|-----|--------|---|---|
| SNA - K 非防水層用 | 40 | 14,100 | JCW - 204 標準図符号 SNA ・印 W 共栓 内ねじ |  |
| | 50 | 19,100 | | |
| | 65 | 31,400 | | |
| | 80 | 41,600 | | |
| | 100 | 56,900 | | |
| SNAR 非防水層用 | 40 | 12,200 | ゴム共栓付 ・印 W 共栓 |  |
| | 50 | 16,600 | | |
| | 65 | 25,300 | | |
| | 80 | 33,700 | | |
| | 100 | 47,200 | | |



| | | | |
|---------------------------|------|---------|---|
| CODD 非防水層用 排水金具 | 50 | 24,000 |  |
| | 65 | 26,000 | |
| | 80 | 26,900 | |
| | 100 | 28,300 | |
| | ★125 | 61,100 | |
| CODD - C 非防水層用 排水金具 | ★40 | 34,300 |  |
| | 50 | 52,700 | |
| | ★65 | 64,700 | |
| | ★80 | 74,600 | |
| | ★100 | 131,300 | |

| | | | | |
|---------------------------------|------|--------|---------------------------|---|
| COA - K (非防水層用) 床上掃除口 | 40 | 6,400 | JCW - 203 標準図符号 COA |  |
| | 50 | 6,600 | | |
| | 65 | 8,300 | | |
| | 80 | 9,700 | | |
| | 100 | 12,500 | | |
| | ★125 | 24,800 | | |
| | ★150 | 31,100 | | |
| COA - F (非防水層用) 床上掃除口 | ★40 | 8,600 | SGP 差し込用 パッキン入 |  |
| | 50 | 9,700 | | |
| | 65 | 13,000 | | |
| | 80 | 15,900 | | |
| | 100 | 24,000 | | |
| COV - F (非防水層用) 床上掃除口 | 40 | 8,600 | VP 差し込用 パッキン入 |  |
| | 50 | 9,700 | | |
| | 65 | 13,000 | | |
| | 80 | 15,900 | | |
| | 100 | 24,000 | | |
| COA - F - 2 (非防水層用) 床上掃除口 | 40 | 9,800 | SGP 差し込用 化粧型 パッキン入 |  |
| | 50 | 10,200 | | |
| | 65 | 14,400 | | |
| | 80 | 17,600 | | |
| | 100 | 26,500 | | |
| | ★125 | 40,900 | | |
| COV - F - 2 (非防水層用) 床上掃除口 | 40 | 9,800 | VP 差し込用 化粧型 パッキン入 |  |
| | 50 | 10,200 | | |
| | 65 | 14,400 | | |
| | 80 | 17,600 | | |
| | 100 | 26,500 | | |
| | ★125 | 40,900 | | |
| COB - K (防水層用) 床上掃除口 | 40 | 12,100 | JCW - 203 標準図符号 COB |  |
| | 50 | 12,500 | | |
| | 65 | 15,900 | | |
| | 80 | 17,800 | | |
| | 100 | 22,300 | | |
| | ★125 | 40,900 | | |
| | ★150 | 53,200 | | |

| | | | |
|-------------------|------|--------|---|
| BP | 15 | 2,200 |  |
| | 20 | 2,600 | |
| | 25 | 2,800 | |
| | 32 | 2,800 | |
| BP - H HASS 規格 | 40 | 3,000 |  |
| | 50 | 3,900 | |
| | 65 | 5,300 | |
| | 80 | 7,200 | |
| | 100 | 10,600 | |
| | ★125 | 19,000 | |
| | ★150 | 37,000 | |

| | | | | |
|---------------|------|--------|----------------|---|
| BB - A 埋設型 | 40 | 7,000 | 耐触アルミ製 AC7A |  |
| | 50 | 8,600 | | |
| | 65 | 12,700 | | |
| | 80 | 15,000 | | |
| | 100 | 20,200 | | |
| | 125 | 38,000 | | |
| | ★150 | 43,100 | | |
| BC 露出型 | 40 | 3,300 | 鋳鉄製 亜鉛メッキ |  |
| | 50 | 4,300 | | |
| | 65 | 5,400 | | |
| | 80 | 6,700 | | |
| | 100 | 8,700 | | |
| | 125 | 26,300 | | |
| BC - A 露出型 | 40 | 6,800 | 耐触アルミ製 AC7A |  |
| | 50 | 9,100 | | |
| | 65 | 11,400 | | |
| | 80 | 13,800 | | |
| | 100 | 20,900 | | |
| | 125 | 44,500 | | |
| | 150 | 47,700 | | |

| | | | | |
|------------|------|---------|----------------|---|
| IDNV - SUS | ★40 | 29,100 | VP 用 ステンレス製 |  |
| | ★50 | 36,300 | | |
| | ★65 | 44,300 | | |
| | ★80 | 52,600 | | |
| | ★100 | 70,700 | | |
| | ★125 | 104,000 | | |
| IDN - HS | ★40 | 13,500 | 半球型 外ねじ |  |
| | ★50 | 14,400 | | |
| | ★65 | 22,400 | | |
| | ★80 | 25,500 | | |
| | ★100 | 31,400 | | |
| IDNV - HS | ★40 | 13,500 | 半球型 VP 用 |  |
| | ★50 | 14,400 | | |
| | ★65 | 22,400 | | |
| | ★80 | 25,500 | | |
| | ★100 | 31,400 | | |

| | | | | |
|---------|--------|--------|-----------------|---|
| IDN | 32 | 4,300 | 内ねじ 網-ステンレス |  |
| | 40 | 4,300 | | |
| | 50 | 5,200 | | |
| | 65 | 6,700 | | |
| | 80 | 8,300 | | |
| | 100 | 10,800 | | |
| IDN - V | 30 | 3,800 | VP 用 網-ステンレス |  |
| | 40 | 3,800 | | |
| | 50 | 5,500 | | |
| | 65 | 6,700 | | |
| | 80 | 8,300 | | |
| | 100 | 9,900 | | |
| | ★125 | 18,400 | | |
| | ★150 | 34,300 | | |
| ★200 | 78,900 | | | |

★印は受注生産品を示します。

建設
鉄器
材用

・格子ふた

| 品番 | 呼び | くさり付定価 | くさりなし定価 | 備考 |
|-------------|------|--------|---------|-------------|
| CD-H 重耐型 | 300 | 29,000 | 27,600 | SHASE-S-209 |
| | 350 | 37,600 | 36,200 | |
| | 400 | 46,600 | 45,200 | |
| | 450 | 54,500 | 53,100 | |
| | ★500 | 75,700 | 74,100 | |
| | 600 | 94,200 | 92,600 | |
| CA-H 中耐型 | 300 | 23,700 | 22,300 | SHASE-S-209 |
| | 350 | 28,100 | 26,700 | |
| | 400 | 36,500 | 35,100 | |
| | 450 | 43,500 | 42,100 | |
| | ★500 | 56,300 | 54,700 | |
| | 600 | 81,000 | 79,400 | |
| CB-H 軽耐型 | 300 | 20,300 | 18,900 | SHASE-S-209 |
| | 350 | 24,900 | 23,500 | |
| | 400 | 31,100 | 29,700 | |
| | 450 | 36,100 | 34,700 | |
| | ★500 | 42,200 | 40,600 | |
| | 600 | 58,600 | 57,000 | |


・鋳鉄製ボックス

| 品番 | 呼び | 定価 | 備考 |
|------------------|------------|---------|----------------------------------|
| B1 止水弁 ガス弁 | 150 | 8,400 | JCW-103 標準図符号 B1 |
| | | | |
| B1-R 止水弁 | 150 | 7,200 | 塩ビ管接続用 |
| | | | |
| B2-A-P | 300 | 30,000 | JCW-103 |
| B2-B-P | 450 | 53,500 | 標準図符号 MHA-P |
| ★B6-1A | | 67,300 | JCW-104 |
| ★B6-1B | | 52,700 | 標準図符号 |
| ★B6-2A | | 70,500 | B6 |
| ★B6-2B | | 58,500 | |
| MB-1 | 435 × 315 | 33,000 | JCW-105 標準図符号 MB-1 H=55 |
| | | | |
| MB-2 | 715 × 515 | 134,800 | JCW-105 |
| MB-3 | 1105 × 715 | 296,900 | 標準図符号 MB-2 MB-3 H=75 |
| | | | |

★印は受注生産品を示します。

・散水栓ボックス

| 品番 | 呼び | 定価 | 備考 |
|-----------------|---------|---------|--|
| B3 | 13A 金具付 | 17,500 | 鋳鉄製 土間埋設用 |
| | 20A 金具付 | 19,700 | |
| | 固定金具無 | 16,400 | |
| B3A-HN 文字入り | 20 | 79,800 | ステンレス製 ヘアライン仕上 土間埋設用 |
| | 25 | 88,400 | |
| | 30 | 105,500 | |
| B3A-HNK 文字入り | 20 | 86,300 | ロック式 ステンレス製 ヘアライン仕上 土間埋設用 |
| | 25 | 94,800 | |
| | 30 | 111,900 | |
| B3W-HN 文字入り | 20 | 94,800 | ステンレス製 ヘアライン仕上 土間埋設用 縦型 |
| | 25 | 103,400 | |
| | 30 | 111,900 | |
| B3W-HNK 文字入り | 20 | 101,200 | ロック式 ステンレス製 ヘアライン仕上 土間埋設用 縦型 |
| | 25 | 109,900 | |
| | 30 | 118,600 | |
| | | | |



CD-H



B1




B1-R

・インターロッキングブロック用
床化粧マンホールふた


| 品番 | 呼び | 定価 | 備考 |
|---------------------------|------|---------|-------------|
| OMIS-D 重耐型 | 300 | 73,000 | スライド式 |
| | 350 | 76,800 | 蓋ダクタイル製 |
| | 450 | 97,900 | 鋳鉄目地 |
| | ★500 | 122,000 | |
| | 600 | 144,000 | |
| | 750 | | |
| | 900 | | |
| OMIS-DS 重耐型 | 300 | 140,900 | スライド式 |
| | 350 | 168,700 | 蓋ダクタイル製 |
| | 450 | 185,400 | ステンレス目地 |
| | ★500 | 213,000 | |
| OMIS-1 中耐型 | 300 | 70,200 | スライド式 |
| | 350 | 74,900 | 鋳鉄目地 |
| | 450 | 90,200 | |
| | ★500 | 108,600 | |
| | 600 | 128,700 | |
| OMIS-1S 中耐型 | 300 | 135,400 | スライド式 |
| | 350 | 150,100 | ステンレス目地 |
| | 450 | 168,700 | |
| | ★500 | 195,400 | |
| | 600 | 222,300 | |
| OMIS-2 軽耐型 | 300 | 59,700 | スライド式 |
| | 350 | 63,500 | 鋳鉄目地 |
| | 450 | 80,700 | |
| | ★500 | 101,900 | |
| OMIS-2S 軽耐型 | 300 | 133,600 | スライド式 |
| | 350 | 144,600 | ステンレス目地 |
| | 450 | 166,500 | |
| | ★500 | 185,400 | |
| | 600 | 194,800 | |
| OMIR-D 重耐型 | ★450 | 88,800 | 鋳鉄目地 |
| | ★600 | 120,400 | 丸型 |
| OMIS-DH (80mmブロック用)重耐型 | 450 | 131,800 | スライド式 |
| | 600 | 180,000 | 蓋ダクタイル製鋳鉄目地 |



OMIS-D



OMIS-DS



OF-SP-DS



OMH-FCD

・床化粧マンホールふた
充填用

| 品番 | 呼び | 定価 | 備考 |
|-----------------|-----|---------|-----------|
| OF-SP-DS 重耐型 | 300 | 88,400 | 蓋ダクタイル製 |
| | 350 | 112,100 | ステンレス目地 |
| | 450 | 146,600 | |
| | 600 | 197,200 | |
| OF-SP-1S 中耐型 | 300 | 83,600 | ステンレス目地 |
| | 350 | 97,800 | |
| | 450 | 129,400 | |
| | 600 | 165,700 | |
| OF-SP-2S 軽耐型 | 300 | 78,900 | ステンレス目地 |
| | 350 | 89,900 | |
| | 450 | 115,200 | |
| | 600 | 151,500 | |
| OF-SP-1M 中耐型 | 300 | 124,200 | 密閉型 |
| | 350 | 140,600 | インサート取手付式 |
| | 450 | 184,800 | ステンレス目地 |
| | 600 | 229,400 | |
| OF-SP-1H 中耐型 | 300 | 82,500 | インサート取手式 |
| | 350 | 94,000 | ステンレス目地 |
| | 450 | 133,700 | |
| | 600 | 179,600 | |

・防臭式マンホールふた


| 品番 | 呼び | くさり付定価 | くさりなし定価 | 備考 |
|--------------------------------|-----|---------|---------|-------|
| OMH-FCD 文字入り 文字なし 重耐型 | 300 | 29,000 | 27,600 | HASS |
| | 350 | 37,600 | 36,200 | 標準図符号 |
| | 400 | 49,200 | 47,800 | MHD |
| | 450 | 50,200 | 48,800 | 枠FC |
| | 500 | 65,300 | 63,700 | |
| | 600 | 80,600 | 79,000 | |
| | 750 | 276,500 | 272,800 | |
| | 900 | 366,200 | 362,500 | |
| OMH-1 文字入り 文字なし 中耐型 | 300 | 24,400 | 23,000 | HASS |
| | 350 | 31,600 | 30,200 | 標準図符号 |
| | 400 | 39,600 | 38,200 | MHA |
| | 450 | 43,000 | 41,600 | |
| | 500 | 55,700 | 54,100 | |
| | 600 | 67,500 | 65,900 | |
| | 750 | 236,000 | 232,300 | |
| OMH-2 文字入り 文字なし 軽耐型 | 300 | 18,700 | 17,300 | HASS |
| | 350 | 23,300 | 21,900 | 標準図符号 |
| | 400 | 30,600 | 29,200 | MHB |
| | 450 | 31,100 | 29,700 | |
| | 500 | 43,100 | 41,500 | |
| | 600 | 49,900 | 48,300 | |
| OMH-S-2 CD樹用 軽耐型 | 350 | — | 27,600 | |
| | 450 | — | 37,100 | |
| | 600 | — | 59,900 | |

★印は受注生産品を示します。

建設
用
鉄
器
材

コンパクト型

鋳鉄製 角型ルーフトレン 〈外廊下排水用〉



●たて引き排水用

| 防水方法 | 施工方法 | 接続方法 (適用管種) | 使用場所 | ストレーナ 形状 | 品番 | サイズ | | | |
|-----------------|------|------------------|------------|-------------|--------|--------|--------|--------|--------|
| | | | | | | 50 | 65 | 80 | 100 |
| シート防水 アスファルト | 打込型 | ねじ込み式 (ガス管) | 屋上 | ドーム型 | ROC-AK | 11,370 | 12,770 | 13,830 | 15,570 |
| | | | 屋上、庇、バルコニー | 平型 | ROC-BK | 10,920 | 12,370 | 13,430 | 15,490 |
| | | | 廊下、踊場 | 水平型 | ROC-CK | 10,920 | 12,370 | 13,430 | 15,490 |
| | | | バルコニー | 中継 | ROC-NK | 11,370 | 12,770 | 13,830 | 16,110 |
| | | 屋上(貯水槽張り代50mm) | ドーム型 | RWC-EK | 12,150 | 13,510 | 16,020 | 20,050 | |
| | | 差し込み式 (VP、VU) | 屋上 | ドーム型 | ROV-AK | 9,530 | 10,700 | 11,760 | 13,310 |
| | | | 屋上、庇、バルコニー | 平型 | ROV-BK | 9,080 | 10,300 | 11,360 | 13,230 |
| | | | 廊下、踊場 | 水平型 | ROV-CK | 9,080 | 10,300 | 11,360 | 13,230 |
| バルコニー | 中継 | | ROV-NK | 9,530 | 10,700 | 11,760 | 13,850 | | |
| モルタル防水 塗膜防水 | 打込型 | ねじ込み式 (ガス管) | 屋上 | ドーム型 | RMC-AK | 7,830 | 8,760 | 9,580 | 10,900 |
| | | | 屋上、庇、バルコニー | 平型 | RMC-BK | 7,380 | 8,360 | 9,180 | 10,820 |
| | | | 廊下、踊場 | 水平型 | RMC-CK | 7,380 | 8,360 | 9,180 | 10,820 |
| | | | バルコニー | 中継 | RMC-NK | 7,830 | 8,760 | 9,580 | 11,440 |
| | | 差し込み式 (VP、VU) | 屋上 | ドーム型 | RMV-AK | 6,470 | 7,350 | 8,150 | 9,880 |
| | | | 屋上、庇、バルコニー | 平型 | RMV-BK | 6,020 | 6,950 | 7,750 | 9,800 |
| | | | 廊下、踊場 | 水平型 | RMV-CK | 6,020 | 6,950 | 7,750 | 9,800 |
| | | | バルコニー | 中継 | RMV-NK | 6,470 | 7,350 | 8,150 | 10,420 |

●よこ引き排水用

| 防水方法 | 施工方法 | 接続方法 (適用管種) | 使用場所 | ストレーナ 形状 | 品番 | サイズ | | | |
|----------------|------|----------------|----------|-------------|--------|--------|--------|--------|--------|
| | | | | | | 50 | 65 | 75 | 100 |
| シート防水 | 打込型 | ねじ込み式 (ガス管) | 屋上、バルコニー | T型 | ROH-TK | 17,380 | 19,160 | 21,530 | 24,490 |
| | | | | L型 | ROH-LK | 17,380 | 19,160 | 21,530 | 24,490 |
| モルタル防水 塗膜防水 | 打込型 | ねじ込み式 (ガス管) | 屋上、バルコニー | T型 | RMH-TK | 15,510 | 17,310 | 19,130 | 21,600 |
| | | | | L型 | RMH-LK | 15,510 | 17,310 | 19,130 | 21,600 |

●角型ルーフトレン

| 防水方法 | 施工方法 | 接続方法 (適用管種) | 使用場所 | ストレーナ 形状 | 品番 | サイズ | |
|----------------|------|------------------|-------|-------------|---------|-------|--------|
| | | | | | | 50 | 75 |
| モルタル防水 塗膜防水 | 打込型 | ねじ込み式 (ガス管) | バルコニー | 台形 | RMSC-DK | 7,550 | 10,800 |
| | | | | 水平型 | RMSC-RK | 7,550 | 10,800 |
| | | 差し込み式 (VP、VU) | バルコニー | 台形 | RMSV-DK | 7,000 | 9,750 |
| | | | | 水平型 | RMSV-RK | 7,000 | 9,750 |